

SAFETY DATA SHEET

SECTION 1: CHEMICAL PRODUCT and COMPANY IDENTIFICATION

<u>Product Name:</u> Vinyl magnesium chloride 1.6 M solution in THF

Product Code: V02170

<u>Supplier:</u> Pfaltz & Bauer, Inc.

172 E. Aurora Street

Waterbury, CT 06708 USA

Phone: 203-574-0075

FAX: 203-574-3181

Emergency Phone: INFOTRAC, US: 1-800-535-5053

INFOTRAC, INTERNATIONAL: +1-352-323-3500

SECTION 2: HAZARDS IDENTIFICATION

<u>Statement of Hazard:</u> Corrosive, Dangerous when wet, Flammable liquid, Irritant, May form

explosive peroxides, Reacts violently with water, Respiratory irritant

Acute Health Hazard: Irritant to eyes, skin, mucous membranes and respiratory system.

May be harmful by ingestion, skin absorption and inhalation.

Chronic Health Hazard: Not Available

HMIS Rating: H: 3 F: 3 P: 2

NFPA Rating: H: 3 F: 3 R: 2

To the best of our knowledge, the toxicological properties of this chemical have not been thoroughly investigated. Use appropriate procedures and precautions to prevent or minimize exposure.

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS):

Acute toxicity, dermal (Category 4), H312 Acute toxicity, inhalation (Category 4), H332

Acute toxicity, oral (Category 4), H302 Flammable liquids (Category 2), H225

Serious eye damage/eye irritation (Category 1), H318

Skin corrosion/irritation (Category 1A), H314

Specific target organ toxicity, single exposure; Respiratory tract irritation (Category 3), H335 Substances and mixtures which, in contact with water, emit flammable gases (Category 1), H260

Pictogram:









Signal Word:

Danger

<u>Hazard Statement(s):</u> H225 Highly flammable liquid and vapor.

H260 In contact with water releases flammable gases which may ignite

spontaneously.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

Precautionary Statement(s):

P210 Keep away from heat/sparks/open flames/hot surfaces. — No

smoking.

P223 Keep away from any possible contact with water, because of

violent reaction and possible flash fire.

P231+P232 Handle under inert gas. Protect from moisture. P240 Ground/bond container and receiving equipment. P250 Do not subject to grinding/shock/[]/friction. P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce

vomiting.

P302+P352 IF ON SKIN: wash with plenty of soap and water.

P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in

a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P332+P313 IF SKIN irritation occurs: Get medical advice/attention.

Supplemental Statement(s): EUH014 Reacts violently with waterEUH019 May form explosive

peroxides

SECTION 3: COMPOSITION/INFORMATION on INGREDIENTS

Chemical Name: Vinyl magnesium chloride 1.6 M solution in THF

CAS Number: 3536-96-7

MDL Number: MFCD00013594

EINECS Number: Not Available

Beilstein Registry Number: 3535268

Molecular Formula: C₂H₃MgCl

Molecular Weight: 86.80

Content: As specified in product name.

SECTION 4: FIRST AID MEASURES

Eve Contact: Flush eyes with large amounts of water for fifteen minutes. Separate

eyelids with fingers. If irritation persists, seek medical attention.

Skin Contact: Wash skin with soap and water. If irritation persists, seek medical

attention.

<u>Ingestion:</u> Do not induce vomiting. Seek medical attention.

Inhalation: Move to a fresh air environment. Contact a physician if breathing

becomes difficult.

SECTION 5: FIRE FIGHTING MEASURES

Flash Point (°C): -17

Explosion Limits: Not Available

Auto Ignition

Not Available

Temperature (°C):

Extinguishing Media: Carbon dioxide, dry chemical powder or alcohol-resistant foam. Do not

use water spray.

<u>Protective Equipment:</u> Wear self-contained respirator and fully protective impervious suit.

Specific Hazards: May emit hazardous fumes under fire conditions. May form explosive

peroxides.

, May emit hazardous fumes under fire conditions. Reacts violently with

water.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Wear a self-contained breathing apparatus, rubber boots and gloves, Personal Protection:

and disposable coveralls. Dispose of coveralls after use. Remove from ignition sources if safe to do so. Follow emergency response plan and

contact proper authorities if needed. Keep unprotected persons away.

Environmental Protection:

Keep spills out of sewers and bodies of water. Dike and contain the spill with inert material. Absorb on sand, vermiculite or diatomite. Transfer material to a container for disposal or recovery. Ventilate area and wash spill site after material pickup is complete.

SECTION 7: HANDLING and STORAGE

Handling and Storage: Avoid breathing dust, vapor, mist or gas. Avoid contact with skin and

eyes. Avoid prolonged or repeated exposure. Use only in a chemical fume hood. Open and handle container with care. Keep ignition sources

Store in a tightly closed container in a dry, well-ventilated place. Store

under inert gas. Store under nitrogen.

Air, Moisture, Shock Sensitivities:

Storage Temperature (°C): 15 to 30

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Use product in a well ventilated area or under a fume hood. Use proper **Engineering Controls:**

> lab equipment while handling this product. Keep away from incompatible materials for possible risk of hazardous reaction.

Wear appropriate protective eyeglass or chemical safety goggles. Make Eye Protection:

sure that there is an eyewash station in your vicinity.

Wear impervious gloves and protective clothing. Skin Protection:

Use a NIOSH approved respirator when exposure limits are exceeded or Respiratory Protection:

if irritation or other symptoms are experienced.

<u>Value</u> Exposure Limits: Country Source <u>Type</u>

> Not Available **USA** ACGIH TWA USA OSHA STEL Not Available USA **OSHA** PEL Not Available

SECTION 9: PHYSICAL and CHEMICAL PROPERTIES

Dark brown liquid solution Appearance:

Odor: Not Available Odor Threshold: Not Available

Flash Point (°C): -17

Auto Ignition

Not Available

Temperature (°C):

<u>UEL % by Volume:</u> Not Available

LEL % by Volume: Not Available

Melting Point (°C): Not Available

Boiling Point (°C): Not Available

<u>Evaporation Rate:</u> Not Available

pH Value: Not Available

Density (g/cm^3) : 0.978

Refractive Index $(n^{20}D)$: Not Available

Viscosity: Not Available

Solubility in Water: Not Available

Solubility in Other: Not Available

<u>Vapor Pressure (mmHq):</u> Not Available

<u>Vapor Density (Air=1):</u> Not Available

SECTION 10: STABILITY and REACTIVITY

Stability: Stable under normal temperatures and pressures.

<u>Incompatibility:</u> Oxygen, Alcohols, Strong oxidizing agents, Acids, Acid chlorides, Acid

anhydrides, Water

<u>Reactivity:</u> Product may react with incompatible materials to release other

hazardous substances.

Conditions to Avoid: Heat, flame, sparks, other ignition sources.

Hazardous Carbon oxides, Hydrogen chloride gas, Magnesium oxides

Decomposition Products:

SECTION 11: TOXICOLOGICAL INFORMATION

RTECS Reference: Not Available

<u>Target Organs:</u> Not Available

<u>Toxicity Data:</u> Not Available

<u>Carcinogenicity:</u> National Toxicology Program (NTP) listed:

Not Available

International Agency for Research on Cancer (IARC) listed: Not

Available

Potential Symptoms: Not Available

SECTION 12: ECOLOGICAL INFORMATION

<u>Toxicity:</u> Not Available

SECTION 13: DISPOSAL CONSIDERATIONS

Contact a licensed professional waste disposal service. Dispose in a manner consistent with federal, state and local environmental regulations.

SECTION 14: TRANSPORT INFORMATION

DOT Shipping Name: Organometallic Substance, Liquid, Water-Reactive, Flammable

DOT UN Number: UN3399

DOT Hazard Class: Class 4.3, 3

DOT Packing Group: PGI

<u>IMDG Shipping Name:</u> Organometallic Substance, Liquid, Water-Reactive, Flammable

IMDG UN Number: UN3399

IMDG Hazard Class: Class 4.3, 3

IMDG Packing Group: PGI

Marine Pollutant: No

<u>IATA Shipping Name:</u> Organometallic Substance, Liquid, Water-Reactive, Flammable

IATA UN Number: UN3399

IATA Hazard Class: Class 4.3, 3

IATA Packing Group: PGI

SECTION 15: REGULATORY INFORMATION

United States

Toxic Substance Control Act (TSCA) listed: Yes

Superfund Amendments and Reauthorization Act (SARA 302) listed: No

Superfund Amendments and Reauthorization Act (SARA 311/312) listed: No

Superfund Amendments and Reauthorization Act (SARA 313) listed: No

European Union

European Inventory of Existing Chemical Substances (EINECS): Not Available

Canada

Canadian Domestic Substances List (DSL) listed: No

Canadian Non-Domestic Substances List (NDSL) listed: Yes

SECTION 16: OTHER INFORMATION

Date Prepared: 10/1/2018

The information above is presented in good faith. It is believed to be accurate and represents the best information currently available to us. However, we make no warranty with respect to such information and we assume no liability resulting from its use. The user should consider this information as a supplement to other information that may be available and make independent judgement to ensure proper use to protect the health and safety of employees and the environment. Pfaltz and Bauer shall not be held liable for any damage resulting from handling or from contact with the above product.