

# SAFETY DATA SHEET

Creation Date 06-Aug-2014	<b>n Date</b> 06-Aug-2014 <b>Revision Date</b> 06-Aug-2014				
	1. Identification				
Product Name	Protocol Crystal Violet				
Cat No. :	2300583, 23255960, 23270180, 23291471				
Synonyms	No information available				
Recommended Use	Laboratory chemicals.				
Uses advised against Details of the supplier of the safety	No Information available data sheet				
<b>Company</b> Richard Allan Scientific A Subsidiary of Thermo Fisher Scient 4481 Campus Drive Kalamazoo, MI 49008 Tel: (800) 522-7270	Emergency Telephone Number Chemtrec US: (800) 424-9300 Chemtrec EU: 001 (202) 483-7616				
	2. Hazard(s) identification				
Classification This chemical is considered hazardou	s by the 2012 OSHA Hazard Communication Standard (29 CF	R 1910.1200)			

Flammable liquids Carcinogenicity Specific target organ toxicity (single exposure) Target Organs - Central nervous system (CNS). Specific target organ toxicity - (repeated exposure) Target Organs - Kidney, Liver.

Category 3 Category 1A Category 1

Category 2

Label Elements

Signal Word Danger

### **Hazard Statements**

Flammable liquid and vapor May cause drowsiness or dizziness May cause cancer Causes damage to organs May cause damage to organs through prolonged or repeated exposure



#### Precautionary Statements Prevention Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. - No smoking Kean contributed area

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge Keep cool

### Response

IF exposed: Call a POISON CENTER or doctor/physician

### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

# Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

# Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

# Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Harmful to aquatic life with long lasting effects

# Other hazards

WARNING! This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

# **Unknown Acute Toxicity**

.? % of the mixture consists of ingredients of unknown toxicity.

# 3. Composition / information on ingredients

Component	CAS-No	Weight %
Water	7732-18-5	85-90
Ethyl alcohol	64-17-5	10-15
Methyl alcohol	67-56-1	1-3
Phenol	108-95-2	<1
C.I. Basic violet 1	548-62-9	< 1

4. First-aid measures				
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.			
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.			
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Get medical attention immediately if symptoms occur.			

Ingestion	Do not induce vomiting. Obtain medical attention.
Most important symptoms/effects	Breathing difficulties. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting
Notes to Physician	Treat symptomatically

#### 5. Fire-fighting measures Suitable Extinguishing Media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. **Unsuitable Extinguishing Media** No information available 42 °C / 107.6 °F Flash Point Method -No information available **Autoignition Temperature** No information available **Explosion Limits** Upper No data available Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

### **Specific Hazards Arising from the Chemical**

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated.

#### Hazardous Combustion Products

Carbon monoxide (CO) Carbon dioxide (CO<sub>2</sub>)

# Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA Health 3	Flammability 2	<b>Instability</b> 0	Physical hazards N/A		
	6. Accidental re	lease measures			
Personal Precautions Environmental Precautions	measures against static di Should not be released int	uipment. Remove all sources scharges. Avoid contact with s o the environment. See Sectio to the environment. Collect sp	n 12 for additional ecological		
Methods for Containment and 0 Up	lethods for Containment and Clean Remove all sources of ignition. Soak up with inert absorbent material. Take precautionar measures against static discharges. Keep in suitable, closed containers for disposal.				
	7. Handling	and storage			
Handling	sources of ignition. Take p	equipment. Keep away from op recautionary measures agains d contact with skin, eyes and c	t static discharges. Do not breathe		
Storage	Keep containers tightly clo and sources of ignition. Fla		tilated place. Keep away from heat		
8	. Exposure controls	/ personal protecti	on		

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol	STEL: 1000 ppm	(Vacated) TWA: 1000 ppm (Vacated) TWA: 1900 mg/m <sup>3</sup> TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>
Methyl alcohol	TWA: 200 ppm STEL: 250 ppm Skin	(Vacated) TWA: 200 ppm (Vacated) TWA: 260 mg/m <sup>3</sup> (Vacated) STEL: 250 ppm (Vacated) STEL: 325 mg/m <sup>3</sup> Skin TWA: 200 ppm TWA: 260 mg/m <sup>3</sup>	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> STEL: 250 ppm STEL: 325 mg/m <sup>3</sup>
Phenol	TWA: 5 ppm Skin	(Vacated) TWA: 5 ppm (Vacated) TWA: 19 mg/m <sup>3</sup> Skin TWA: 5 ppm TWA: 19 mg/m <sup>3</sup>	IDLH: 250 ppm TWA: 5 ppm TWA: 19 mg/m <sup>3</sup> Ceiling: 15.6 ppm Ceiling: 60 mg/m <sup>3</sup>

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV	
Ethyl alcohol TWA: 1000 ppm TWA: 1880 mg/m <sup>3</sup>		TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>	STEL: 1000 ppm	
Methyl alcohol	TWA: 200 ppm TWA: 262 mg/m <sup>3</sup> STEL: 250 ppm STEL: 328 mg/m <sup>3</sup> Skin	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> STEL: 250 ppm STEL: 310 mg/m <sup>3</sup>	TWA: 200 ppm STEL: 250 ppm Skin	
Phenol	TWA: 5 ppm TWA: 19 mg/m³ Skin	TWA: 5 ppm TWA: 19 mg/m <sup>3</sup> STEL: 10 ppm STEL: 38 mg/m <sup>3</sup>	TWA: 5 ppm Skin	

Legend

Г

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

	9. Physical and chemical properties
Physical State	Liquid
Appearance	Reddish-violet
Odor	Alcohol-like
Odor Threshold	No information available
рН	No information available
Melting Point/Range	No data available
Boiling Point/Range	Not applicable

Flash Point Evaporation Rate Flammability (solid,gas) Flammability or explosive limits Upper Lower Vapor Pressure Vapor Density Relative Density Solubility Partition coefficient; n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity Molecular Formula 42 °C / 107.6 °F No information available No information available

No data available No data available No information available No information available No information available No data available No information available No information available No information available Solution

# 10. Stability and reactivity

Reactive Hazard	None known, based on information available		
Stability	Stable under normal conditions.		
Conditions to Avoid	Incompatible products. Heat, flames and sparks.		
Incompatible Materials	Strong oxidizing agents, Strong acids		
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)			
Hazardous Polymerization	Hazardous polymerization does not occur.		
Hazardous Reactions	None under normal processing.		

11. Toxicological information

# Acute Toxicity

Oral LD50

Dermal LD50 Vapor LC50

**Product Information** 

No acute toxicity information is available for this product Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.

omponent Information	·		J.
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethyl alcohol	7060 mg/kg (Rat)	Not listed	20000 ppm/10H ( Rat )
Methyl alcohol	6200 mg/kg (Rat)	15800 mg/kg (Rabbit)	64000 ppm(Rat)4 h 83.2 mg/L(Rat)4 h
Phenol	340 mg/kg (Rat)317 mg/kg (Rat )	630 mg/kg (Rabbit)	316 mg/m³(Rat)4 h
C.I. Basic violet 1	420 mg/kg (Rat)	Not listed	Not listed
oxicologically Synergistic	No information available		

Toxicologically Synergistic Products

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Water	7732-18-5	Not listed				
Ethyl alcohol	64-17-5	Group 1	Not listed	A3	Х	Not listed

# **Protocol Crystal Violet**

Methyl alcohol	67-56-1	Not listed	Not listed	Not listed	Not listed	Not listed		
Phenol	108-95-2	Not listed	Not listed	Not listed	Not listed	Not listed		
C.I. Basic violet 1	548-62-9	Not listed	Not listed	Not listed	Not listed	Not listed		
· ·	n Conference of G	overnmental Industr		h Human Carcinogen				
Hygienists)				cted Human Carcinog	gen			
A3 - Animal Carcinogen								
OSHA: (Occupational Safety & Health Administration) ACGIH: (American Conference of Governmental Industrial Hygi OSHA: (Occupational Safety & Health Administration)								
	παι σαιείγ α πεαιί	n Aunimistration)	X - Presen		ieaiun Aunimistration	)		
Mexico - Occupati	onal Exposure Lin	nits - Carcinogens		ccupational Exposure	Limits - Carcinogen	S		
,	,	0		ned Human Carcinog				
				cted Human Carcinog				
				med Animal Carcinog				
				assifiable as a Huma Ispected as a Human				
Mutagenic Effects		No information ava		ispecieu as a numan	Carcinogen			
		ויוטווומווטוו מימוומטול						
Reproductive Effect	S	Adverse reproductive effects have occurred in humans.						
Developmental Effe	cts	Substances known to cause developmental toxicity in humans.						
Teratogenicity		Teratogenic effects have occurred in humans.						
STOT - single experies		Control non-voice evictory (CNIC)						
STOT - single expose STOT - repeated exp		Central nervous system (CNS) Kidney Liver						
oror -repeated exp	Josule							
Aspiration hazard		No information available						
• • • • • • • • •								
	,both acute and	d Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting						
delayed Endocrine Disrupto	r Information	No information available						
		NO INOTINATION AVA						
Other Adverse Effect	sts	Tumorigenic effects have been reported in experimental animals. See actual entry in						
		RTECS for complete information.						

12. Ecological information

# Ecotoxicity

Do not	empty	into	drains.
--------	-------	------	---------

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Ethyl alcohol	EC50 (72h) = 275 mg/l	Fathead minnow	Photobacterium	EC50 = 9268 mg/L/48h
	(Chlorella vulgaris)	(Pimephales promelas)	phosphoreum:EC50 = 34634	EC50 = 10800 mg/L/24h
		LC50 = 14200 mg/l/96h	mg/L/30 min	
			Photobacterium	
			phosphoreum:EC50 = 35470	
			mg/L/5 min	
Methyl alcohol	Not listed	Pimephales promelas: LC50	EC50 = 39000 mg/L 25 min	EC50 > 10000 mg/L 24h
-		> 10000 mg/L 96h	EC50 = 40000 mg/L 15 min	_
			EC50 = 43000 mg/L 5 min	
Phenol	0.0188 - 0.1044 mg/L EC50	4-7 mg/L LC50 96 h	EC50 21 - 36 mg/L 30 min	10.2 - 15.5 mg/L EC50 48 h
	96 h 46.42 mg/L EC50 = 96	32 mg/L LC50 96 h	EC50 = 23.28 mg/L 5 min	4.24 - 10.7 mg/L EC50 48 h
	h 187 - 279 mg/L EC50 72 h	-	EC50 = 25.61 mg/L 15 min	-
	-		EC50 = 28.8 mg/L 5 min	
			EC50 = 31.6 mg/L 15 min	

Persistence and Degradability Bioaccumulation/ Accumulation

No information available No information available.

.

# Mobility

Component	log Pow
Ethyl alcohol	-0.32
Methyl alcohol	-0.74
Phenol	1.47

СТ	Basic violet 1	
0.1.		

0.51

# 13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Methyl alcohol - 67-56-1	U154	-
Phenol - 108-95-2	U188	-

# 14. Transport information

DOT	
UN-No	UN1170
Proper Shipping Name	ETHANOL SOLUTION
Hazard Class	3
Packing Group	111
TDG	
UN-No	UN1170
Proper Shipping Name	ETHANOL SOLUTION
Hazard Class	3
Packing Group	111
IATA	
UN-No	UN1170
Proper Shipping Name	ETHANOL SOLUTION
Hazard Class	3
Packing Group	111
IMDG/IMO	
UN-No	UN1170
Proper Shipping Name	ETHANOL SOLUTION
Hazard Class	3
Packing Group	III
	15 Degulator

# 15. Regulatory information

# International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Water	Х	Х	-	231-791-2	-		Х	-	Х	Х	Х
Ethyl alcohol	Х	Х	-	200-578-6	-		Х	Х	Х	Х	Х
Methyl alcohol	Х	Х	-	200-659-6	-		Х	Х	Х	Х	Х
Phenol	Х	Х	-	203-632-7	-		Х	Х	Х	Х	Х
C.I. Basic violet 1	Х	Х	-	208-953-6	-		Х	Х	Х	Х	Х

Legend: X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

### TSCA 12(b)

#### Not applicable

# SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Methyl alcohol	67-56-1	1-3	1.0
Phenol	108-95-2	<1	1.0
	•		

# SARA 311/312 Hazardous Categorization

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

# Clean Water Act

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Phenol	Х	1000 lb	Х	Х

# **Clean Air Act**

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Methyl alcohol	Х		-
Phenol	Х		-

**OSHA** Occupational Safety and Health Administration Not applicable

# CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs		
Methyl alcohol	5000 lb	-		
Phenol	1000 lb	1000 lb		
California Proposition 65 Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is				

Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage

Component	CAS-No	California Prop. 65	Prop 65 NSRL	Category
Ethyl alcohol	64-17-5	Developmental	-	Developmental Carcinogen
Methyl alcohol	67-56-1	Developmental	-	Developmental

State Right-to-Know

Component	Massachusetts	New Jersey	Pennsvlvania	Illinois	Rhode Island
Water	-	-	X	-	-
Ethyl alcohol	Х	Х	Х	Х	Х
Methyl alcohol	Х	Х	Х	Х	Х
Phenol	Х	Х	Х	Х	Х

# **U.S. Department of Transportation**

Reportable Quantity (RQ):	Υ
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

#### **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

#### Other International Regulations

#### Mexico - Grade


Moderate risk, Grade 2

B3 Combustible liquid

Regulatory Affairs

Canada This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class



# 16. Other information

**Prepared By** 

Creation Date Revision Date Print Date Revision Summary Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com 06-Aug-2014 06-Aug-2014

06-Aug-2014 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

# End of SDS