

# SAFETY DATA SHEET

Version 6.1 Revision Date 03/12/2019 Print Date 05/11/2019

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Glutaraldehyde solution

Product Number : G7651

Brand : Sigma-Aldrich

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

## 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 Spruce Street ST. LOUIS MO 63103

UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

## 1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 3), H331

Skin corrosion (Category 1B), H314

Serious eye damage (Category 1), H318

Respiratory sensitisation (Category 1), H334

Skin sensitisation (Category 1), H317

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Short-term (acute) aquatic hazard (Category 1), H400

Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Sigma-Aldrich - G7651 Page 1 of 11



Hazard statement(s)	
H301 + H331	Toxic if swallowed or if inhaled.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life.  Toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face
	protection.
P285	In case of inadequate ventilation wear respiratory protection.
P301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated
	clothing. Rinse skin with water/shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
P305 + P351 + P338 +	IF IN EYES: Rinse cautiously with water for several minutes.
P310	Remove contact lenses, if present and easy to do. Continue
1310	rinsing. Immediately call a POISON CENTER/doctor.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P342 + P311	If experiencing respiratory symptoms: Call a POISON
	CENTER/doctor.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal
•	nlant

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

plant.

# **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

Synonyms : Glutaric dialdehyde solution

Gluteraldehyde Pentane-1,5-dial

Formula :  $C_5H_8O_2$ Molecular weight : 100.12 g/mol

Sigma-Aldrich - G7651 Page 2 of 11



Component		Classification	Concentration
Glutaral			
CAS-No. EC-No. Index-No.	111-30-8 203-856-5 605-022-00-X	Flam. Liq. 4; Acute Tox. 3; Acute Tox. 1; Skin Corr. 1B; Eye Dam. 1; Resp. Sens. 1; Skin Sens. 1A; STOT SE 3; Aquatic Acute 1; Aquatic Chronic 1; H227, H301, H330, H314, H318, H334, H317, H335, H400, H410	>= 50 - < 70 %
Methanol			
CAS-No. EC-No. Index-No. Registration number	67-56-1 200-659-6 603-001-00-X 01-2119433307-44- XXXX	Flam. Liq. 2; Acute Tox. 3; STOT SE 1; H225, H301, H331, H311, H370	>= 0.1 - < 1 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

## In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

## In case of eye contact

Continue rinsing eyes during transport to hospital. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

Millipore SigMa

Sigma-Aldrich - G7651 Page 3 of 11

#### **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides

## **5.3** Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

No data available

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature -20 °C

Storage class (TRGS 510): 6.1B: Non-combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated



# SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters

**Components with workplace control parameters** 

Component	CAS-No.	Value	Control	Basis	
Component	CAS NO.	Value	parameters	Busis	
Glutaral	111-30-8	С	0.2 ppm	USA. NIOSH Recommended	
Giatarai	111 50 0		0.8 mg/m3	Exposure Limits	
	Remarks	See Appendix C			
	Kemarks	<del></del>			
			0.05 ppm	California permissible exposure limits for chemical	
			0.2 mg/m3		
				contaminants (Title 8, Article 107)	
		Glutaraldehyde can cause occupational asthma and skin sensitization responses such as contact dermatitis. Exposure related symptoms may include one or more of the following: shortness of breath, chest tightness, wheeze,			
				d irritation of the nose, throat,	
				nication training required by	
				l address these health hazards	
				he measures taken by the	
				ontrol exposures that can	
				s, exposure monitoring,	
				practices, and personal protective	
		equipment. The communication system required by section			
				es where to report possible	
		health symptoms and where to ask questions, report concerns, and receive information about the employer's evaluation and control measures.			
		С	0.05 ppm	USA. ACGIH Threshold Limit Values (TLV)	
		Dermal Sensitization			
		Respiratory sensitization			
			vous System im	•	
		Upper Respiratory Tract irritation			
		Eye irritatio			
		Skin irritati			
	67 56 4		able as a human		
Methanol	67-56-1	TWA	200 ppm	USA. ACGIH Threshold Limit	
		11000		Values (TLV)	
		Headache			
		Nausea			
		Dizziness Eye damage Substances for which there is a Biological Exposure Index or Indices (see BEI® section)			
		Danger of cutaneous absorption STEL 250 ppm USA, ACGIH Threshold Limit			
		STEL	250 ppm	Values (TLV)	
		Headache		-	
		Nausea			
		Dizziness			
	Eye damage				

Sigma-Aldrich - G7651 Page 5 of 11



Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Danger of cutaneous absorption		
TWA	200 ppm 260 mg/m3	USA. NIOSH Recommended Exposure Limits
Potential for dermal absorption		
ST	250 ppm 325 mg/m3	USA. NIOSH Recommended Exposure Limits
Potential for dermal absorption		
TWA	200 ppm 260 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
The value in mg/m3 is approximate.		
С	1,000 ppm	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin		
PEL	200 ppm 260 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin		
STEL	250 ppm 325 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin		

**Biological occupational exposure limits** 

21010g1cun 00cuputionun oxpooun o minto					
Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Methanol	67-56-1	Methanol	15 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift (	(As soon as	s possible after ex	posure ceases)

#### 8.2 Exposure controls

#### **Appropriate engineering controls**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

#### Personal protective equipment

## **Eye/face protection**

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Sigma-Aldrich - G7651 Page 6 of 11



Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## **SECTION 9: Physical and chemical properties**

## I Information on basic physical and chemical properties

a) Appearance Form: liquid, clear

Colour: colourless

b) Odourc) Odour Thresholdd) pHNo data availableNo data available

e) Melting -21 °C (-6 °F)

point/freezing point

f) Initial boiling point 101 °C 214 °F at 1,013 hPa

and boiling range

g) Flash point ()No data available
h) Evaporation rate No data available
i) Flammability (solid, No data available

Sigma-Aldrich - G7651 Page 7 of 11



gas)

j) Upper/lower No data available flammability or explosive limits

k) Vapour pressure 20 hPa at 20 °C (68 °F)

I) Vapour density 3.46 - (Air = 1.0)

m) Relative density 1.106 g/cm3

n) Water solubility soluble

o) Partition coefficient: No data available n-octanol/water

Auto ignition

p) Auto-ignition No data available

temperature q) Decomposition

temperature

No data available

r) Viscosity No data available s) Explosive properties No data available

t) Oxidizing properties No data available

## 9.2 Other safety information

Relative vapour 3.46 - (Air = 1.0)

density

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

No data available

#### 10.5 Incompatible materials

Strong acids, Strong bases, Strong oxidizing agents

#### 10.6 Hazardous decomposition products

Other decomposition products - No data available Hazardous decomposition products formed under fire conditions. - Carbon oxides In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

#### **Acute toxicity**

No data available

Sigma-Aldrich - G7651

Inhalation: No data available Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

Germ cell mutagenicity

No data available

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

## Reproductive toxicity

No data available No data available

## Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: Not available

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence

#### **SECTION 12: Ecological information**

## 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

Sigma-Aldrich - G7651 Page 9 of 11

## 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

## Contaminated packaging

Dispose of as unused product.

## **SECTION 14: Transport information**

## DOT (US)

UN number: 2922 Class: 8 (6.1) Packing group: II Proper shipping name: Corrosive liquids, toxic, n.o.s. (Glutaral)

Reportable Quantity (RQ): Poison Inhalation Hazard: No

## **IMDG**

UN number: 2922 Class: 8 (6.1) Packing group: II EMS-No: F-A, S-B

Proper shipping name: CORROSIVE LIQUID, TOXIC, N.O.S. (Glutaral)

Marine pollutant : yes

#### **IATA**

UN number: 2922 Class: 8 (6.1) Packing group: II Proper shipping name: Corrosive liquid, toxic, n.o.s. (Glutaral)

## **SECTION 15: Regulatory information**

#### **SARA 302 Components**

This material does not contain any components with a section 302 EHS TPQ.

## **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Sigma-Aldrich - G7651 Page 10 of 11

#### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Glutaral	CAS-No. 111-30-8	Revision Date 1993-02-16
Pennsylvania Right To Know Components Glutaral	CAS-No. 111-30-8	Revision Date 1993-02-16
Water	7732-18-5	
Methanol	67-56-1	2007-07-01
California Prop. 65 Components , which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.Methanol	CAS-No. 67-56-1	Revision Date 2012-03-16

#### **SECTION 16: Other information**

#### **Further information**

Copyright 2018 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.1 Revision Date: 03/12/2019 Print Date: 05/11/2019

Sigma-Aldrich - G7651 Page 11 of 11

