

# SAFETY DATA SHEET

Version 6.3 Revision Date 11/23/2018 Print Date 04/26/2019

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Perchloric acid

Product Number : 244252 Brand : SIGALD CAS-No. : 7601-90-3

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

# 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 Spruce Street ST. LOUIS MO 63103

**UNITED STATES** 

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

#### 1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

#### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Oxidizing liquids (Category 1), H271

Corrosive to metals (Category 1), H290

Acute toxicity, Oral (Category 4), H302

Skin corrosion (Category 1A), H314

Serious eye damage (Category 1), H318

Specific target organ toxicity - repeated exposure (Category 2), Thyroid, H373

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

SIGALD - 244252 Page 1 of 9



Hazard statement(s) H271 May cause fire or explosion; strong oxidizer. H290 May be corrosive to metals. H302 Harmful if swallowed. Causes severe skin burns and eye damage. H314 May cause damage to organs (Thyroid) through prolonged or H373 repeated exposure. Precautionary statement(s) P210 Keep away from heat. P220 Keep/Store away from clothing/ combustible materials. Take any precaution to avoid mixing with combustibles. P221 Keep only in original container. P234 P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. P264 P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P283 Wear fire/ flame resistant/ retardant clothing. IF SWALLOWED: Call a POISON CENTER/doctor if you feel P301 + P312 + P330 unwell. Rinse mouth. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304 + P340 + P310IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. P305 + P351 + P338 + IF IN EYES: Rinse cautiously with water for several minutes. P310 Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. P306 + P360 IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes. P314 Get medical advice/ attention if you feel unwell. P363 Wash contaminated clothing before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. P371 + P380 + P375 In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. P390 Absorb spillage to prevent material damage. P405 Store locked up. Store in corrosive resistant container with a resistant inner P406 P501 Dispose of contents/ container to an approved waste disposal

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

plant.

# SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Synonyms : PCA

Formula : HCIO<SB>4</>
Molecular weight : 100.46 g/mol

SIGALD - 244252 Page 2 of 9



Component		Classification	Concentration
Perchloric acid			
CAS-No.	7601-90-3	Ox. Liq. 1; Met. Corr. 1;	>= 70 - < 90
EC-No.	231-512-4	Acute Tox. 4; Skin Corr.	%
Index-No.	017-006-00-4	1A; Eye Dam. 1; STOT RE	
		2; H271, H290, H302,	
		H314, H318, H373	

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### **General advice**

Move out of dangerous area.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

# In case of skin contact

Wash off with soap and plenty of water.

#### In case of eye contact

Flush eyes with water as a precaution. Continue rinsing eyes during transport to hospital.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

Chlorine

Hydrogen chloride gas

Container explosion may occur under fire conditions.

### **5.3** Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### **5.4** Further information

No data available

Millipore SigMa

SIGALD - 244252 Page 3 of 9

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, mist or gas. For personal protection see section 8.

### 6.2 Environmental precautions

No special environmental precautions required.

### 6.3 Methods and materials for containment and cleaning up

Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Storage class (TRGS 510): 5.1A: Strongly oxidizing hazardous materials

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### Components with workplace control parameters

Contains no substances with occupational exposure limit values. Hazardous components without workplace control parameters

#### 8.2 Exposure controls

# **Appropriate engineering controls**

General industrial hygiene practice.

### Personal protective equipment

### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: > 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Millipore SiGMa Splash contact

Material: Nature latex/chloroprene Minimum layer thickness: 0.6 mm Break through time: 420 min

Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

## **Body Protection**

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## **Respiratory protection**

Respiratory protection not required. For nuisance exposures use type OV/AG (US) or type ABEK (EU EN 14387) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# **Control of environmental exposure**

No special environmental precautions required.

### **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid, clear

Colour: colourless

b) Odour No data available

c) Odour Threshold No data available

d) pH No data available

e) Melting -18 °C (-0.40 °F)

point/freezing point

f) Initial boiling point ca.203 °C ca.397 °F at 1,013 hPa

and boiling range

g) Flash point No data available

h) Evaporation rate No data available

i) Flammability (solid, No data available

gas)

j) Upper/lower No data available

flammability or explosive limits

k) Vapour pressure 9.1 hPa at 25 °C (77 °F)

I) Vapour density No data available

SIGALD - 244252 Page 5 of 9

m) Relative density 1.664 g/mL at 25 °C (77 °F)

n) Water solubility completely miscibleo) Partition coefficient: No data available

n-octanol/water

p) Auto-ignition No data available

temperature

q) Decomposition No data available

temperature

r) Viscosity No data available
 s) Explosive properties Not explosive

t) Oxidizing properties No data available

# 9.2 Other safety information

No data available

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

No data available

### 10.5 Incompatible materials

Strong bases, Strong acids, Amines, Phosphorus halides, Alcohols, Organic materials, Powdered metals, Strong reducing agents

# 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Chlorine Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas Other decomposition products - No data available

In the event of fire: see section 5

### **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - < 2,000 mg/kg (OECD Test Guideline 423) Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

Extremely corrosive and destructive to tissue.

SIGALD - 244252 Page 6 of 9



### Serious eye damage/eye irritation

Corrosive

## Respiratory or skin sensitisation

No data available

# Germ cell mutagenicity

Ames test

Salmonella typhimurium

Result: negative

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

### Reproductive toxicity

No data available No data available

### Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure. - Thyroid

### **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: Not available

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to daphnia Immobilization EC50 - Daphnia magna (Water flea) - > 100 mg/l -

and other aquatic 48 h

invertebrates (OECD Test Guideline 202)

# 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

SIGALD - 244252 Page 7 of 9

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

Do not empty into drains. Neutralisation will not reduce ecotoxic effects.

# **SECTION** 13: Disposal considerations

#### 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

### Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

#### DOT (US)

UN number: 1873 Class: 5.1 (8) Packing group: I

Proper shipping name: Perchloric acid

Reportable Quantity (RQ): Poison Inhalation Hazard: No

#### **IMDG**

UN number: 1873 Class: 5.1 (8) Packing group: I EMS-No: F-G, S-Q

Proper shipping name: PERCHLORIC ACID

### **IATA**

UN number: 1873 Class: 5.1 (8) Packing group: I

Proper shipping name: Perchloric acid IATA Passenger: Not permitted for transport

### **SECTION 15: Regulatory information**

### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312 Hazards

Reactivity Hazard, Acute Health Hazard

# **Massachusetts Right To Know Components**

SIGALD - 244252 Page 8 of 9

Perchloric acid	CAS-No. 7601-90-3	Revision Date 2014-05-05
Pennsylvania Right To Know Components Perchloric acid	CAS-No. 7601-90-3	Revision Date 2014-05-05
Water	7732-18-5	
Perchloric acid	CAS-No. 7601-90-3	Revision Date 2014-05-05
Water	7732-18-5	
New Jersey Right To Know Components Perchloric acid	CAS-No. 7601-90-3	Revision Date 2014-05-05
Water	7732-18-5	

# **California Prop. 65 Components**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### **SECTION 16: Other information**

#### **Further information**

Copyright 2018 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.3 Revision Date: 11/23/2018 Print Date: 04/26/2019

SIGALD - 244252 Page 9 of 9

