

# **Safety Data Sheet**

Issue Date: 06-Sep-2011

Revision Date: 20-Jan-2015

Version 1

## **1. IDENTIFICATION**

Product IdentifierProduct NamePC-7, Part B

Other means of identification SDS # 130519-20B

Recommended use of the chemical and restrictions on useRecommended UseMulti-purpose epoxy paste.

Details of the supplier of the safety data sheet Supplier Address Protective Coatings Co. 221 S Third St. Allentown, PA 18102 USA

Emergency Telephone Number Company Phone Number

Emergency Telephone (24 hr)

610-432-3543 / 800-220-2103 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

Appearance Black paste

Physical State Paste

Odor Slight amine

#### **Classification**

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

#### Unknown Acute Toxicity

85-95% of the mixture consists of ingredient(s) of unknown toxicity

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

| Chemical Name    | CAS No      | Weight-% |
|------------------|-------------|----------|
| Talc             | 14807-96-6  | 10-30    |
| Kaolin           | 1332-58-7   | 15-30    |
| Titanium Dioxide | 13463-67-7  | 1-5      |
| Ceramic Fiber    | 142844-00-6 | 1-5      |
| Carbon Black     | 1333-86-4   | 1-5      |

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

\* Unlisted ingredients are not considered hazardous under the OSHA Hazard Communication Standard (29 CFR 1910.1200). (Titanium Dioxide, Ceramic Fiber and Carbon black) Inhalation of particulates unlikely due to product's physical state.

| 4. FIRST-AID MEASURES  |  |  |
|--|--|--|
| First Aid Measures   |  |  |
| General Advice   | Provide this SDS to medical personnel for treatment. After first aid, get appropriate in-plant, paramedic, or community medical support.   |  |
| Eye Contact  | Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If eye irritation persists: Get medical advice/attention. |  |
| Skin Contact   | Wash with soap and water. Remove and wash contaminated clothing before reuse. Get medical attention if irritation occurs.  |  |
| Inhalation   | Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician / poison center if individual's condition declines or if symptoms persist.   |  |
| Ingestion  | Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical advice.                                   |  |
| Most important symptoms and effe   | ects   |  |
| Symptoms   | Moderate skin and eye irritation. Direct contact may cause temporary redness and discomfort. May cause discomfort if swallowed.  |  |
| Indication of any immediate medical attention and special treatment needed |  |  |
| Notes to Physician   | Skin and eye conditions may be aggravated by long term exposure.   |  |
| 5. FIRE-FIGHTING MEASURES  |  |  |

# Suitable Extinguishing Media

Dry chemical, CO2 or water spray.

Unsuitable Extinguishing Media Not determined.

# Specific Hazards Arising from the Chemical

Product is not flammable.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO2). Aldehydes.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Wear positive pressure self-contained breathing apparatus (SCBA). Do not release runoff from fire control methods to sewers or waterways. NFPA Class IIIB.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

| Personal Precautions         Wear protective gloves/protective clothing and eye/face protection. Remove any contaminated clothing and wash thoroughly before reuse. |  |  |
|---|--|--|
| <b>Environmental Precautions</b>  | See Section 12 for additional Ecological Information.  |  |
| Methods and material for containm   | ent and cleaning up  |  |
| Methods for Containment   | Prevent further leakage or spillage if safe to do so.  |  |
| Methods for Clean-Up  | Dispose of contents/container to an approved waste disposal plant.   |  |
| 7. HANDLING AND STORAGE   |  |  |
| Precautions for safe handling   |  |  |
| Advice on Safe Handling   | Handle in accordance with good industrial hygiene and safety practice. Wear appropriate personal protective equipment. Do not eat, drink or smoke when using this product. Wash face, hands, and any exposed skin thoroughly after handling. |  |
| Conditions for safe storage, including any incompatibilities  |  |  |
| Storage Conditions  | Keep containers tightly closed in a dry, cool and well-ventilated place. Store contents under <90F (32C) . NFPA Class IIIB storage.  |  |
| Incompatible Materials  | No information available.  |  |

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Exposure Guidelines

| Chemical Name    | ACGIH TLV                                   | OSHA PEL                                  | NIOSH IDLH                                 |
|------------------|---|---|--|
| Kaolin           | TWA: 2 mg/m <sup>3</sup> particulate matter | TWA: 15 mg/m <sup>3</sup> total dust      | TWA: 10 mg/m <sup>3</sup> total dust       |
| 1332-58-7        | containing no asbestos and <1%              | TWA: 5 mg/m <sup>3</sup> respirable       | TWA: 5 mg/m <sup>3</sup> respirable dust   |
|                  | crystalline silica, respirable              | fraction                                  |  |
|                  | fraction                                    | (vacated) TWA: 10 mg/m <sup>3</sup> total |  |
|                  |   | dust                                      |  |
|                  |   | (vacated) TWA: 5 mg/m <sup>3</sup>        |  |
|                  |   | respirable fraction                       |  |
| Talc             | TWA: 2 mg/m <sup>3</sup> particulate matter |   | IDLH: 1000 mg/m <sup>3</sup>               |
| 14807-96-6       | containing no asbestos and <1%              |   | TWA: 2 mg/m <sup>3</sup> containing no     |
|                  | crystalline silica, respirable              | silica, containing no Asbestos            | Asbestos and <1% Quartz                    |
|                  | fraction                                    | TWA: 20 mppcf if 1% Quartz or             | respirable dust                            |
|                  |   | more, use Quartz limit                    |  |
| Carbon Black     | TWA: 3 mg/m <sup>3</sup> inhalable fraction |   | IDLH: 1750 mg/m <sup>3</sup>               |
| 1333-86-4        |   | (vacated) TWA: 3.5 mg/m <sup>3</sup>      | TWA: 3.5 mg/m <sup>3</sup>                 |
|                  |   |   | TWA: 0.1 mg/m <sup>3</sup> Carbon black in |
|                  |   |   | presence of Polycyclic aromatic            |
|                  |   |   | hydrocarbons PAH                           |
| Titanium Dioxide | TWA: 10 mg/m <sup>3</sup>                   | TWA: 15 mg/m <sup>3</sup> total dust      | IDLH: 5000 mg/m <sup>3</sup>               |
| 13463-67-7       |   | (vacated) TWA: 10 mg/m <sup>3</sup> total |  |
|                  |   | dust                                      |  |

| Ceramic Fiber | TWA: 0.2 fiber/cm3 respirable      | - | - |
|---------------|------------------------------------|---|---|
| 142844-00-6   | fibers: length >5 µm, aspect ratio |   |   |
|               | >=3:1, as determined by the        |   |   |
|               | membrane filter method at          |   |   |
|               | 400-450X magnification [4-mm       |   |   |
|               | objective], using phase-contrast   |   |   |
|               | illumination                       |   |   |

Other Information If product is sanded, appropriate respirator should be worn to avoid breathing dust. Pre-existing respiratory disorders may be aggravated by exposure. If sanded, this material may generate silica / titanium dust. Inhaled silica / titanium has been classified by IARC as a human carcinogen (see section 11).

#### Appropriate engineering controls

**Engineering Controls** Provide general or local exhaust ventilation if product is sanded or ground.

#### Individual protection measures, such as personal protective equipment

| Eye/Face Protection      | Chemical safety goggles/faceshield.   |
|--------------------------|---|
| Skin and Body Protection | Wear protective gloves and protective clothing.   |
| Respiratory Protection   | Ensure adequate ventilation, especially in confined areas. If engineering controls do not keep airborne concentrations below acceptable levels, wear a NIOSH-approved respirator. |

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

| Physical State<br>Appearance<br>Color  | Paste<br>Black paste<br>Black   | Odor<br>Odor Threshold  | Slight amine<br>Not determined |
|--|---|-------------------------|--------------------------------|
| <u>Property</u><br>pH<br>Melting Point/Freezing Point<br>Boiling Point/Boiling Range   | <u>Values</u><br>> / = 2.0 - < / = 12.0<br>Not available<br>No data   | <u>Remarks • Method</u> |                                |
| Flash Point<br>Evaporation Rate<br>Flammability (Solid, Gas)<br>Upper Flammability Limits<br>Lower Flammability Limit  | 110 °C / 230 °F<br>Not determined<br>Not determined<br>Not available<br>Not available   | CC (closed cup)         |                                |
| Vapor Pressure<br>Vapor Density<br>Specific Gravity  | Not available<br>Not determined<br>Not available<br>0.86<br>Insoluble in water  | (1=Water)               |                                |
| Water Solubility<br>Solubility in other solvents<br>Partition Coefficient<br>Auto-ignition Temperature<br>Decomposition Temperature<br>Kinematic Viscosity<br>Dynamic Viscosity<br>Explosive Properties<br>Oxidizing Properties<br>Density | Alcohols<br>Not determined<br>Not determined<br>Not determined<br>Not determined<br>Not determined<br>Not determined<br>Not determined<br>Not determined<br>7.2 lbs/gal |                         |                                |

## **10. STABILITY AND REACTIVITY**

#### Reactivity

Not reactive under normal conditions.

#### Chemical Stability

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

#### Hazardous Polymerization

Hazardous polymerization does not occur.

#### **Conditions to Avoid**

Excessive heat over long periods of time.

#### **Incompatible Materials**

No information available.

#### Hazardous Decomposition Products

Carbon oxides.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

| Product Information |  |
|---------------------|--|
| Eye Contact         | May cause moderate eye irritation.   |
| Skin Contact        | Prolonged contact may cause redness and irritation.  |
| Inhalation          | Under normal conditions of intended use, this material is not expected to be an inhalation hazard. |
| Ingestion           | May cause discomfort if swallowed.   |

#### Component Information

| Chemical Name                          | Oral LD50           | Dermal LD50       | Inhalation LC50 |
|--|---------------------|-------------------|-----------------|
| Aliphatic Polyaminoamide<br>68410-23-1 | >2000 mg/kg (rat)   | 2000 mg/kg (rat)  | -               |
| Hydrocarbon Resin<br>9003-53-6         | >1000 mg/kg (mice)  | -                 | -               |
| Carbon Black<br>1333-86-4              | > 15400 mg/kg (Rat) | > 3 g/kg (Rabbit) | -               |
| Titanium Dioxide<br>13463-67-7         | > 10000 mg/kg (Rat) | -                 | -               |

#### Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

CarcinogenicityThe table below indicates whether each agency has listed any ingredient as a carcinogen.<br/>However, the product as a whole has not been tested. Carbon black is a possible<br/>carcinogen when it appears as a respirable dust. Titanium dioxide is a possible carcinogen<br/>when it appears as a respirable dust. Ceramic Fiber is a possible carcinogen when it<br/>appears as a respirable dust.

| Chemical Name                  | ACGIH | IARC     | NTP                    | OSHA |
|--------------------------------|-------|----------|------------------------|------|
| Talc<br>14807-96-6             |       | Group 3  |                        |      |
| Hydrocarbon Resin<br>9003-53-6 |       | Group 3  |                        |      |
| Carbon Black<br>1333-86-4      | A3    | Group 2B |                        | Х    |
| Titanium Dioxide<br>13463-67-7 |       | Group 2B |                        | Х    |
| Ceramic Fiber<br>142844-00-6   | A2    | Group 2B | Reasonably Anticipated | Х    |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)
A2 - Suspected Human Carcinogen
A3 - Animal Carcinogen
IARC (International Agency for Research on Cancer)
Group 2B - Possibly Carcinogenic to Humans
Group 3 IARC components are "not classifiable as human carcinogens"
NTP (National Toxicology Program)
Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
X - Present

#### Numerical measures of toxicity

Not determined

**Unknown Acute Toxicity** 

85-95% of the mixture consists of ingredient(s) of unknown toxicity.

# **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

#### Component Information

| Chemical Name             | Algae/aquatic plants | Fish  | Toxicity to<br>microorganisms | Crustacea                             |
|---------------------------|----------------------|---|-------------------------------|---------------------------------------|
| Talc<br>14807-96-6        |                      | 100: 96 h Brachydanio rerio<br>g/L LC50 semi-static |                               |                                       |
| Carbon Black<br>1333-86-4 |                      | 5   |                               | 5600: 24 h Daphnia magna<br>mg/L EC50 |

#### Persistence/Degradability

Not determined.

#### **Bioaccumulation**

Not determined.

# Mobility

Not determined

#### **Other Adverse Effects**

Not determined

# **13. DISPOSAL CONSIDERATIONS**

#### Waste Treatment Methods

| Disposal of Wastes     | Disposal should be in accordance with applicable regional, national and local laws and regulations.                         |
|------------------------|---|
| Contaminated Packaging | Disposal should be in accordance with applicable regional, national and local laws and regulations.                         |
|                        | 14. TRANSPORT INFORMATION   |
| <u>Note</u>            | Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances. |
| DOT                    | Not regulated   |
| IATA                   | Not regulated   |
| IMDG                   | Not regulated   |

# 15. REGULATORY INFORMATION

#### International Inventories

| Chemical Name    | TSCA    | DSL | NDSL | EINECS  | ELINCS  | ENCS    | IECSC | KECL    | PICCS | AICS |
|------------------|---------|-----|------|---------|---------|---------|-------|---------|-------|------|
| Talc             | Present | Х   |      | Present |         | Present | Х     | Present | Х     | Х    |
| Kaolin           | Present | Х   |      | Present |         | Present | Х     | Present | Х     | Х    |
| Titanium Dioxide | Present | Х   |      | Present |         | Present | Х     | Present | Х     | Х    |
| Ceramic Fiber    |         |     |      |         |         |         | Х     | Present |       |      |
| Carbon Black     | Present | Х   |      | Present | Present | Present | Х     | Present | Х     | Х    |

#### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### **SARA 313**

Not determined

#### US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals.

| Chemical Name                 | California Proposition 65 |
|-------------------------------|---------------------------|
| Carbon Black - 1333-86-4      | Carcinogen                |
| Titanium Dioxide - 13463-67-7 | Carcinogen                |
| Ceramic Fiber - 142844-00-6   | Carcinogen                |

#### U.S. State Right-to-Know Regulations

| Chemical Name                  | New Jersey | Massachusetts | Pennsylvania |
|--------------------------------|------------|---------------|--------------|
| Talc<br>14807-96-6             | Х          | X             | Х            |
| Kaolin<br>1332-58-7            | Х          | X             | Х            |
| Carbon Black<br>1333-86-4      | Х          | X             | Х            |
| Titanium Dioxide<br>13463-67-7 | Х          | X             | Х            |
| Ceramic Fiber<br>142844-00-6   | Х          |               |              |

# **16. OTHER INFORMATION**

| <u>NFPA</u><br>HMIS                             | Health Hazards<br>1<br>Health Hazards<br>1 | Flammability<br>1<br>Flammability<br>1 | Instability<br>0<br>Physical Hazards<br>0 | Special Hazards<br>Not determined<br>Personal Protection<br>B- Safety Glasses,<br>Gloves |
|---|--|--|---|--|
| Issue Date:<br>Revision Date:<br>Revision Note: | 06-Sep-<br>20-Jan-<br>New for              | 2015                                   |   |  |

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet