

Safety Data Sheet

Acetic Acid, Glacial, ACS

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Acetic Acid, Glacial, ACS

Synonyms/Generic Names: Ethanoic acid; Methanecarboxylic acid

Product Number: CP-A1010. CPM1010S, 0060

Product Use: Industrial, Manufacturing or Laboratory use

Manufacturer: ChemPure Brand Chemicals

39103 Warren Road Westland, MI.

48185

For More Information Call: 734-729-1805 (Monday-Friday 8:00-4:30)

In Case of Emergency Call: CHEMTREC – 800-424-9300 or 703-527-3887 (24 Hours/Day,7 Days/Week)

2. HAZARDS IDENTIFICATION

OSHA Hazards: Flammable liquid, Target organ effect, Harmful by skin absorption, Skin sensitizer, Corrosive

Target Organs: Teeth, Kidneys

Other hazards which to do not result in classification: Lachrymator

Signal Word: Danger

Pictograms:







GHS Classification:

Flammable liquids	Category 3
Acute toxicity, Oral	Category 5
Acute toxicity, Inhalation	Category 3
Acute toxicity, Dermal	Category 4
Skin corrosion	Category 1A
Serious eye damage	Category 1
Skin sensitization	Category 1
Acute aquatic toxicity	Category 3

Revised on 02/15/2013 Page 1 of 7

GHS Label Elements, including precautionary statements:

Hazard Statements:

H226	Flammable liquid and vapor.	
H303	May be harmful if swallowed.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H317	May cause an allergic skin reaction.	
H331	Toxic if inhaled.	
H402	Harmful to aquatic life.	

Precautionary Statements:

P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.	
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact	
	lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER or doctor/ physician.	

Potential Health Effects

	=
Eyes	Causes eye burns.
Inhalation	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous
	membranes and upper respiratory tract.
Skin	Causes skin burns.
Ingestion	May be harmful if swallowed.

NFPA Ratings

Health	3	
Flammability	2	
Reactivity	0	
Specific hazard	Not Available	

HMIS Ratings

Health	3
Fire	2
Reactivity	0
Personal	Н

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight %	CAS#	EINECS# / ELINCS#	Formula	Molecular Weight
Acetic Acid	>99	64-19-7	200-580-7	C ₂ H ₄ O ₂	60.05 g/mol

4. FIRST-AID MEASURES

Eyes	In case of eye contact, rinse with plenty of water for at least 15 minutes and seek medical attention immediately.
Inhalation	Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not
	breathing, give artificial respiration. Get medical attention immediately.
Skin	Immediately flush with plenty of water for at least 15 minutes while removing contaminated
	clothing and wash using soap. Get medical attention immediately.
Ingestion	Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. If
	conscious, wash out mouth with water. Get medical attention immediately.

Revised on 02/15/2013 Page 2 of 7

5. FIRE-FIGHTING MEASURES

Suitable (and unsuitable)	Flammable in the presence of a source of ignition when the temperature		
extinguishing media	is above the flash point. Keep away from heat/sparks/open flame/hot		
	surface. No smoking. Use water spray, alcohol-resistant foam, dry		
	chemical or carbon dioxide. Use appropriate media for adjacent fire.		
	Cool unopened containers with water.		
Special protective equipment	Wear self-contained, approved breathing apparatus and full protective		
and precautions for firefighters	clothing, including eye protection and boots.		
Specific hazards arising from	Emits toxic fumes (carbon oxides) under fire conditions. (See also		
the chemical	Stability and Reactivity section).		

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	See section 8 for recommendations on the use of personal protective equipment.
Environmental precautions Prevent spillage from entering drains. Any release to the en	
	may be subject to federal/national or local reporting requirements.
Methods and materials for	Absorb spill with noncombustible absorbent material, then place in a
containment and cleaning up	suitable container for disposal. Clean surfaces thoroughly with water to
	remove residual contamination. Dispose of all waste and cleanup
	materials in accordance with regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

See section 8 for recommendations on the use of personal protective equipment. Use with adequate ventilation. Wash thoroughly after using. Keep container closed when not in use. Avoid formation of aerosols. Keep away from sources of ignition - No smoking. Take measures to prevent the build-up of electrostatic charge.

Conditions for safe storage, including any incompatibilities

Store in cool, dry, well ventilated area. Keep away from incompatible materials (see section 10 for incompatibilities).

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure controls: Ventilation and appropriate grounding of containers.

Component	Exposure Limits	Basis	Entity
Acetic Acid	10 ppm 25 mg/m ³	PEL	OSHA
	10 ppm 25 mg/m ³	TLV	ACGIH
	15 ppm 37 mg/m ³	STEL	ACGIH
	10 ppm 25 mg/m ³	REL	NIOSH
	15 ppm 37 mg/m ³	STEL	NIOSH

Revised on 02/15/2013 Page 3 of 7

TWA: Time Weighted Average over 8 hours of work. TLV: Threshold Limit Value over 8 hours of work.

REL: Recommended Exposure Limit PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit during x minutes. IDLH: Immediately Dangerous to Life or Health WEEL: Workplace Environmental Exposure Levels

CEIL: Ceiling

Personal Protection

Eyes	Wear chemical safety glasses or goggles, and face shield.		
Inhalation	Provide local exhaust, preferably mechanical. If exposure levels are excessive, use an approved respirator.		
Skin	Wear nitrile or rubber gloves and full body suit. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.		
Other	Not Available		

Other Recommendations

Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.)	Clear, colorless liquid.
Odor	Pungent, vinegar-like, sour.
Odor threshold	0.48 ppm
pH	2.4 at 60.05 g/L
Melting point/freezing point	16.6°C (61.9°F)
Initial boiling point and boiling range	118.1°C (244.6°F)
Flash point	Closed Cup: 39°C (102.2°F)
	Open Cup: 43°C (109.4°F)
Evaporation rate	Not Available
Flammability (solid, gas)	Flammable
Upper/lower flammability or explosive limit	Lower: 4%
	Upper: 19.9%
Vapor pressure	1.5 kPa (@ 20°C)
Vapor density	2.07 (Air = 1)
Density	1.049 (Water = 1)
Solubility (ies)	Easily soluble in water. Soluble in diethyl ether,
	acetone. Miscible with glycerol, alcohol, benzene,
	carbon tetrachloride. Practically insoluble in carbon
	disulfide.
Partition coefficient: n-octanol/water	log Pow: -0.17
Auto-ignition temperature	463°C (865.4°F)
Decomposition temperature	Not Available

10. STABILITY AND REACTIVITY

Chemical Stability	Stable	
Possibility of Hazardous Reactions	Will not occur.	
Conditions to Avoid	Heat, flames, sparks.	
Incompatible Materials	Oxidizing agents, soluble carbonates and phosphates, hydroxides,	
	metals, peroxides, permanganates, e.g. potassium permanganate,	
	amines, alcohols.	
Hazardous Decomposition Products	Carbon oxides.	

Revised on 02/15/2013 Page 4 of 7

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Skin	LD50 Dermal - rabbit - 1,112 mg/kg
Eyes	Eyes - rabbit - Corrosive to eyes.
Respiratory	LC50 Inhalation - mouse - 1 h – 5620 ppm
Ingestion	LD50 Oral - rat - 3,310 mg/kg

Carcinogenicity

IARC	No components of this product present at levels greater than or equal to 0.1% is identified
	as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No components of this product present at levels greater than or equal to 0.1% is identified
	as a carcinogen or potential carcinogen by ACGIH.
NTP	No components of this product present at levels greater than or equal to 0.1% is identified
	as a known or anticipated carcinogen by NTP.
OSHA	No components of this product present at levels greater than or equal to 0.1% is identified
	as a carcinogen or potential carcinogen by OSHA.

Signs & Symptoms of Exposure

Skin	Reddening, itching, inflammation. May cause blistering, tissue damage and burns.
Eyes	Irritation, lacrimation, redness, pain. May cause burns, blurred vision, conjunctivitis,
	conjunctival and corneal destruction and permanent injury.
Respiratory	Rhinitis, sneezing, coughing, oppressive feeling in the chest or chest pain, dyspnea, wheezing, tachypnea, cyanosis, salivation, nausea, giddiness, muscular weakness. May cause chemical pneumonitis, bronchitis, and pulmonary edema.
Ingestion	Burning and pain of the mouth, throat, and abdomen, coughing, ulceration, bleeding, nausea, abdominal spasms, vomiting, hematemesis, diarrhea. May also effect liver, behavior, and urinary system.

Chronic Toxicity	Chronic exposure via ingestion may cause blackening or erosion of the teeth and jaw necrosis, pharyngitis, and gastritis. It may also behavior (similar to acute ingestion), and metabolism (weight loss). Chronic exposure via inhalation may cause asthma and/or bronchitis with cough, phlegm, and/or shortness of breath. Repeated or prolonged skin contact may cause thickening, blackening, and cracking of the skin.	
Teratogenicity	Not Available	
Mutagenicity	Mutagenic for mammalian somatic cells. Mutagenic for bacteria and/or yeast.	
Embryotoxicity	Not Available	
Specific Target Organ Toxicity	Not Available	
Reproductive Toxicity	Not Available	
Respiratory/Skin Sensitization	May cause sensitization by skin contact.	

12. ECOLOGICAL INFORMATION

Ecotoxicity

Aquatic Vertebrate	LC50 - Pimephales promelas (fathead minnow) - 79 - 88 mg/l - 96 h	
	LC50 - Lepomis macrochirus - 75 mg/l - 96 h	
Aquatic Invertebrate	EC50 - Daphnia magna (Water flea) - 65 mg/l - 48 h	
Terrestrial	Not Available	

Revised on 02/15/2013 Page 5 of 7

Persistence and Degradability	Aerobic	
	Result: 99 % - Readily biodegradable.	
Bioaccumulative Potential	Not Available	
Mobility in Soil	Not Available	
PBT and vPvB Assessment	Not Available	
Other Adverse Effects	Biochemical Oxygen Demand (BOD): 880 mg/g	
	Harmful to aquatic life.	

13. DISPOSAL CONSIDERATIONS

Waste Residues	Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies if necessary before disposing of waste product container.
Product	Users should review their operations in terms of the applicable federal/national or
Containers	local regulations and consult with appropriate regulatory agencies if necessary
	before disposing of product or residues.

The information offered in section 13 is for the product as shipped. Use and/or alterations to the product may significantly change the characteristics of the material and alter the waste classification and proper disposal methods.

14. TRANSPORTATION INFORMATION

US DOT	UN2789, Acetic acid, glacial, 8, (3), pg II
TDG	UN2789, ACETIC ACID, GLACIAL, 8, (3), PG II
IMDG	UN2789, ACETIC ACID, GLACIAL, 8, (3), PG II
Marine Pollutant	No
IATA/ICAO	UN2789, Acetic acid, glacial, 8, (3), pg II

15. REGULATORY INFORMATION

TSCA Inventory Status	All ingredients are listed on the TSCA inventory.
DSCL (EEC)	All ingredients are listed on the DSCL inventory.
California Proposition 65	Not Listed
SARA 302	Not Listed
SARA 304	Not Listed
SARA 311	Acetic Acid
SARA 312	Acetic Acid
SARA 313	Not Listed
WHMIS Canada	CLASS B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F).
	CLASS E: Corrosive liquid.
	CLASS E. Comosive liquiu.

Revised on 02/15/2013 Page 6 of 7

16. OTHER INFORMATION

Revision	Date
Revision 1	12/28/2012
Revision 2	02/15/2013

Disclaimer: ChemPure Brand Chemicals ("ChemPure") believes that the information herein is factual but is not intended to be all inclusive. The information relates only to the specific material designated and does not relate to its use in combination with other materials or its use as to any particular process. Because safety standards and regulations are subject to change and because ChemPure has no continuing control over the material, those handling, storing or using the material should satisfy themselves that they have current information regarding the particular way the material is handled, stored or used and that the same is done in accordance with federal, state and local law. COLUMBUS MAKES NO WARRANTY, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN OR WITH RESPECT TO FITNESS FOR ANY PARTICULAR USE.

Revised on 02/15/2013 Page 7 of 7