# SAFETY DATA SHEET

Version 5.7 Revision Date 10/01/2018 Print Date 05/03/2019

## 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Benzaldehyde

Product Number : B1334

Brand : Sigma-Aldrich Index-No. : 605-012-00-5

CAS-No. : 100-52-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Canada Co.

2149 Winston Park Drive OAKVILLE ON L6H 6J8

**CANADA** 

Telephone : +1 9058299500 Fax : +1 9058299292

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

## 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with Hazardous Products Regulations (HPR) (SOR/2015-17)

Flammable liquids (Category 4), H227 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Dermal (Category 4), H312

Skin irritation (Category 2), H315 Acute aquatic toxicity (Category 2), H401

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram

**(!)** 

Signal word Warning

Hazard statement(s)

H227 Combustible liquid.

H302 + H312 Harmful if swallowed or in contact with skin.

H315 Causes skin irritation. H401 Toxic to aquatic life.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Rinse mouth.

P302 + P352 + P312 IF ON SKIN: Wash with plenty of water.Call a POISON CENTER/doctor if

you feel unwell.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to

extinguish.

P403 Store in a well-ventilated place.

P501 Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Synonyms : Artificial essential oil of almond

Formula : C<sub>7</sub>H<sub>6</sub>O

Molecular weight : 106.12 g/mol
CAS-No. : 100-52-7
EC-No. : 202-860-4
Index-No. : 605-012-00-5

Hazardous components

Component	Classification	Concentration*
Benzaldehyde		
	Acute Tox. 4; H302	90 - 100 %
* Weight percent		

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

## 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

# In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

Sigma-Aldrich - B1334 Page 2 of 7

#### 5. FIREFIGHTING MEASURES

# 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## 5.2 Special hazards arising from the substance or mixture

No data available

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Under fire conditions, material may decompose to form flammable and/or explosive mixtures in air.Use water spray to cool unopened containers.

### 6. ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

#### 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Store under nitrogen. Keep container tightly closed in a dry and well-ventilated place.

Air, light, and moisture sensitive.

Storage class (TRGS 510): 10: Combustible liquids

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

Components with workplace control parameters

Components	CAS-No.	Value	Control	Basis
			parameters	

Sigma-Aldrich - B1334 Page 3 of 7

Benzaldehyde	100-52-7	STEL	4 ppm 17 mg/m3	Ontario Table of Occupational Exposure Limits made under the Occupational Health	
				and Safety Act.	

## 8.2 Exposure controls

## Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

## Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Chloroprene

Minimum layer thickness: 0.6 mm Break through time: 35 min

Material tested:Camapren® (KCL 722 / Aldrich Z677493, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

# **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Colour: colourless

b) Odour
c) Odour Threshold
d) pH
No data available
5.9 at 20 °C (68 °F)

e) Melting point/freezing Melting point/range: -26 °C (-15 °F) - lit.

point

Sigma-Aldrich - B1334 Page 4 of 7

Initial boiling point and 178 - 179 °C (352 - 354 °F) - lit.

boiling range

Flash point 64 °C (147 °F) - closed cup

h) Evaporation rate No data available Flammability (solid, gas) No data available

Upper/lower Upper explosion limit: 8.5 %(V) flammability or Lower explosion limit: 1.4 %(V)

explosive limits

k) Vapour pressure 5 hPa (4 mmHg) at 45 °C (113 °F)

Vapour density 3.66 - (Air = 1.0)

m) Relative density 1.044 g/cm3 at 20 °C (68 °F)

n) Water solubility slightly soluble Partition coefficient: nlog Pow: 1.5

octanol/water

p) Auto-ignition temperature

No data available

Decomposition

No data available

temperature

Viscosity No data available r) s) Explosive properties No data available Oxidizing properties No data available

9.2 Other safety information

> Relative vapour density 3.66 - (Air = 1.0)

# 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

## 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Air Exposure to moisture Light. Heat Heat, flames and sparks.

#### 10.5 Incompatible materials

Strong oxidizing agents, Strong reducing agents, Strong bases, Alkali metals, Aluminium, Iron, phenols, Oxygen

#### Hazardous decomposition products 10.6

Other decomposition products - No data available

Hazardous decomposition products formed under fire conditions. - Carbon oxides

In the event of fire: see section 5

# 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - 1,300 mg/kg

Remarks: Behavioral:Somnolence (general depressed activity). Behavioral:Coma.

Inhalation: No data available Dermal: No data available

Sigma-Aldrich - B1334 Page 5 of 7 No data available

## Skin corrosion/irritation

No data available

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: Mild eye irritation

## Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

Laboratory experiments have shown mutagenic effects.

## Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

## Reproductive toxicity

No data available

No data available

## Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

#### Additional Information

RTECS: CU4375000

Central nervous system depression, Prolonged or repeated exposure to skin causes defatting and dermatitis.

Liver - Irregularities - Based on Human Evidence

# 12. ECOLOGICAL INFORMATION

# 12.1 Toxicity

Toxicity to daphnia and

EC50 - Daphnia magna (Water flea) - 50 mg/l - 24 h

other aquatic invertebrates

### 12.2 Persistence and degradability

Biodegradability Biotic/Aerobic - Exposure time 28 d

Result: 95 % - Readily biodegradable.

### 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Sigma-Aldrich - B1334 Page 6 of 7

Toxic to aquatic life.

No data available

### 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### **Product**

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

# Contaminated packaging

Dispose of as unused product.

### 14. TRANSPORT INFORMATION

TDG (Canada)

UN number: 1990 Class: 9 Packing group: III

Proper shipping name: BENZALDEHYDE

**IMDG** 

UN number: 1990 Class: 9 Packing group: III EMS-No: F-A, S-A

Proper shipping name: BENZALDEHYDE

**IATA** 

UN number: 1990 Class: 9 Packing group: III

Proper shipping name: Benzaldehyde

### 15. REGULATORY INFORMATION

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

#### 16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity
H227 Combustible liquid.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.

## Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Version: 5.7 Revision Date: 10/01/2018 Print Date: 05/03/2019

Sigma-Aldrich - B1334 Page 7 of 7