SAFETY DATA SHEET

Version 5.2 Revision Date 10/04/2016 Print Date 04/09/2020

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : PK50 SUPEL QUE PSA/ENVI-CARB (EN) TUBE 2,

15ML

Product Number : 55464-U Brand : Supelco

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Carcinogenicity (Category 2), H351

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Warning

Hazard statement(s)

H351 Suspected of causing cancer.

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

Supelco - 55464-U Page 1 of 9

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

Component		Classification	Concentration				
Carbon black							
CAS-No.	1333-86-4	Carc. 2; H351	>= 10 - < 20 %				
EC-No.	215-609-9						
Silica-Amorphous, precipitated							
CAS-No.	112926-00-8		>= 1 - < 5 %				
EC-No.	231-545-4						

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

Supelco - 55464-U Page 2 of 9

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis		
Carbon black	1333-86-4	TWA	3.500000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)		
				closed are those for which changes		
		are proposed in the NIC See Notice of Intended Changes (NIC) Not classifiable as a human carcinogen				
	TWA 3.50000			USA. Occupational Exposure Limits		
			mg/m3	(OSHA) - Table Z-1 Limits for Air		
				Contaminants		
		TWA	3.500000	USA. NIOSH Recommended		
			mg/m3	Exposure Limits		
		TWA	0.100000	USA. NIOSH Recommended		
			mg/m3	Exposure Limits		
		Potential Occupational Carcinogen				
		Carbon black	Dlycyclic aromatic hydrocarbons			
		(PAHs)				
		See Appendix C				
		See Append				
		TWA	3.000000	USA. ACGIH Threshold Limit Values		
			mg/m3	(TLV)		
		Bronchitis				
		Confirmed a	vith unknown relevance to humans			
		PEL	3.5 mg/m3	California permissible exposure		
				limits for chemical contaminants		
				(Title 8, Article 107)		
Silica-Amorphous,	112926-00-	TWA	6 mg/m3	USA. OSHA - TABLE Z-1 Limits for		
precipitated	8			Air Contaminants - 1910.1000		
		TWA	20.00000Millio	USA. Occupational Exposure Limits		
			n particles per	(OSHA) - Table Z-3 Mineral Dusts		
			cubic foot			
	Based on impinger samples counted by light-field techniques.					

Supelco - 55464-U Page 3 of 9

	mppcf X 35.3 = million particles per cubic meter = particles per c.c		
	TWA	80.000000mg/m	USA. Occupational Exposure Limits
		3 / %SiO2	(OSHA) - Table Z-3 Mineral Dusts
	See table Z-3		
	TWA	20.00000Millio	USA. Occupational Exposure Limits
		n particles per	(OSHA) - Table Z-3 Mineral Dusts
		cubic foot	
	Based on impinger samples counted by light-field techniques.		
	mppcf X 35.3 = million particles per cubic meter = particles per c.c		
	TWA	80.00000mg/m	USA. Occupational Exposure Limits
		3 / %SiO2	(OSHA) - Table Z-3 Mineral Dusts
	TWA	20.00000Millio	USA. Occupational Exposure Limits
		n particles per	(OSHA) - Table Z-3 Mineral Dusts
		cubic foot	
	Based on impinger samples counted by light-field techniques.		
			per cubic meter = particles per c.c
	TWA	80.00000mg/m	USA. Occupational Exposure Limits
		3 / %SiO2	(OSHA) - Table Z-3 Mineral Dusts
	TWA	6.000000	USA. NIOSH Recommended
		mg/m3	Exposure Limits
	TWA	6.000000	USA. NIOSH Recommended
		mg/m3	Exposure Limits
	See table Z-3		
	TWA	20Million	USA. Occupational Exposure Limits
		particles per	(OSHA) - Table Z-3 Mineral Dusts
		cubic foot	
	Based on impinger samples counted by light-field techniques. mppcf X 35.3 = million particles per cubic meter = particles per c.c		
	TWA	80mg/m3 /	USA. Occupational Exposure Limits
		%SiO2	(OSHA) - Table Z-3 Mineral Dusts
	TWA	6 mg/m3	USA. NIOSH Recommended
			Exposure Limits
	PEL	6 mg/m3	California permissible exposure
			limits for chemical contaminants
			(Title 8, Article 107)

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Supelco - 55464-U Page 4 of 9

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties 9.1

Form: solid a) Appearance No data available b) Odour c) Odour Threshold No data available d) рΗ No data available Melting point/freezing No data available point Initial boiling point and No data available

f) boiling range

Flash point No data available g) Evaporation rate No data available h) Flammability (solid, gas) No data available i) No data available Upper/lower flammability or explosive limits

Vapour pressure No data available Vapour density No data available I) m) Relative density No data available No data available n) Water solubility Partition coefficient: n-No data available octanol/water

p) Auto-ignition temperature

No data available

Decomposition temperature

No data available

No data available r) Viscosity No data available Explosive properties Oxidizing properties No data available

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

Conditions to avoid 10.4

No data available

10.5 Incompatible materials

Strong oxidizing agents

Supelco - 55464-U Page 5 of 9

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Sulphur oxides, Magnesium oxide, silicon oxides

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

No data available

LD50 Oral - Rat - male and female - > 8,000 mg/kg (Carbon black)

(OECD Test Guideline 401)

Inhalation: No data available

Inhalation: No data available (Carbon black)

LD50 Dermal - Rabbit - > 3,000 mg/kg (Carbon black)

No data available

No data available (Carbon black)

Skin corrosion/irritation

No data available

Skin - Rabbit (Carbon black) Result: No skin irritation - 24 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

No data available

Eyes - Rabbit (Carbon black) Result: No eye irritation (OECD Test Guideline 405)

Respiratory or skin sensitisation

No data available

- Guinea pig (Carbon black)

Result: Did not cause sensitisation on laboratory animals.

(OECD Test Guideline 406)

Germ cell mutagenicity

No data available

Ames test (Carbon black)

S. typhimurium Result: negative

Hamster (Carbon black)

ovary

Result: negative

DNA repair (Carbon black)

Rat - female Result: negative

Carcinogenicity

Carcinogenicity - Rat - Inhalation

Tumorigenic:Carcinogenic by RTECS criteria. Lungs, Thorax, or Respiration:Tumors. (Carbon black)

This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification. (Carbon black)

Limited evidence of carcinogenicity in animal studies (Carbon black)

Supelco - 55464-U Page 6 of 9

(Carbon black)

(Carbon black)

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Carbon black)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available (Carbon black)

No data available

No data available (Carbon black)

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. (Carbon black)

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence (Magnesium sulphate)

Stomach - Irregularities - Based on Human Evidence (Silica-Amorphous, precipitated)

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

LC50 - Danio rerio (zebra fish) - > 1,000 mg/l - 96 h (Carbon black) Toxicity to fish

Toxicity to daphnia and

other aquatic

static test EC50 - Daphnia magna (Water flea) - > 5,600 mg/l - 24 h (Carbon

invertebrates (OECD Test Guideline 202)

static test EC50 - Desmodesmus subspicatus (green algae) - > 10,000 mg/l -Toxicity to algae

72 h (Carbon black)

(OECD Test Guideline 201)

12.2 Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

No data available

Supelco - 55464-U Page 7 of 9

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Chronic Health Hazard

Massachusetts Right To Know Components

massachusetts right to rillow components		
·	CAS-No.	Revision Date
Carbon black	1333-86-4	1991-07-01
Silica-Amorphous, precipitated	112926-00-8	1993-04-24
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Magnesium sulphate	7487-88-9	
Carbon black	1333-86-4	1991-07-01
Silica-Amorphous, precipitated	112926-00-8	1993-04-24
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Magnesium sulphate	7487-88-9	
Carbon black	1333-86-4	1991-07-01
Silica-Amorphous, precipitated	112926-00-8	1993-04-24
California Prop. 65 Components		
WARNING! This product contains a chemical known to the	CAS-No.	Revision Date
State of California to cause cancer.	1333-86-4	2003-02-21
Carbon black		

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Carc. Carcinogenicity

Supelco - 55464-U Page 8 of 9

H351 Suspected of causing cancer.

HMIS Rating

Health hazard: 0
Chronic Health Hazard: *
Flammability: 0
Physical Hazard 0

NFPA Rating

Health hazard: 0
Fire Hazard: 0
Reactivity Hazard: 0

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.2 Revision Date: 10/04/2016 Print Date: 04/09/2020

Supelco - 55464-U Page 9 of 9