



CHROMITE

Safety Data Sheet

In compliance with Regulation (EC)1907/2006,
Regulation (EC) 1272/2008 and Regulation (EC)
453/2010

Date of issue: 03/03/2011 Revision date: 21/03/2013

SECTION 1: Identification of the substance/mixture and of the company/undertaking.

1.1. Product identifier

Product form : Substance

Product name : Chromite Flour

EC no : Not applicable

CAS No. : Not applicable

REACH registration No. : Exempted in accordance with Annex V.7

Synonyms : Iron Chromite

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/preparation:

Substance used as such, in formulation or in formulation of products such as:

- Refractories
- Glass
- Ceramics
- Steel industries **1.2.2. Uses advised against**
- None

Full text of use descriptors: see section 16.

1.3. Details of the supplier of the safety data sheet

Keramikos

Oudeweg 153

2031 CC Haarlem

1.4. Emergency telephone number

023 – 542 44 16



SECTION 2: Hazards identification.

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Physical and chemical hazards: Not classified

Human health: Not classified

Environment: Not classified

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

Depending on the type of handling and use (e.g. grinding, drying etc.), airborne respirable crystalline silica may be generated. Prolonged and/or massive inhalation of respirable crystalline silica dust may cause lung fibrosis, commonly referred to as silicosis. Principal symptoms of silicosis are cough and breathlessness. Occupational exposure to respirable crystalline silica dust should be monitored and controlled.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 (CLP)

None

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH, annex XIII.

SECTION 3: Composition/information on ingredients.

3.1. Substances

Chemical name	CAS No.	EC-No.	%	Classification (67/548/EEC)	Classification (1272/2008/EC)
Chrome iron oxide Respirable Crystalline Silica (Quartz)	98072-82-3 14808-60-7	308-539-6 238-878-4	>80 <1	N/A Xn; R48/20	N/A STOT RE 1 H372



Full text of R-, H- and EUH-phrases: see section 16

REACH Registration numbers: Both Chrome iron oxide and Respirable Crystalline Silica (Quartz) are Exempt

– 21-03-2013

SECTION 4: First aid measures.

4.1. Description of first aid measures

Inhalation: Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

Ingestion: Rinse mouth thoroughly. Get medical attention if any discomfort continues.

Skin contact: Wash skin with soap and water. Get medical attention if irritation persists after washing.

Eye contact: Make sure to remove any contact lenses from the eyes before rinsing. Rinse eye with water immediately. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation: May cause coughing

Ingestion: May cause indigestion

Skin contact: No specific symptoms noted.

Eye contact: May cause acute redness of the eyes

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures.

5.1. Extinguishing media

Suitable extinguishing media: Powder. CO₂. Sand.

Unsuitable extinguishing media: None

5.2. Special hazards arising from the substance or mixture

Fire hazard: Not flammable.

Explosion hazard: No explosive properties known.

Reactivity: Stable under normal conditions of handling and storage.



www.keramikos.nl

5.3. Advice for firefighters

Protection during firefighting: No specific fire fighting procedures given.

SDS Ref:– 21-03-2013

CHROMITE Safety Data Sheet

SECTION 6: Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures

General measures: Keep public away from danger area. See section 8.2.

6.1.1. For non-emergency personnel No additional information available

6.1.2. For emergency responders No additional information available

6.2. Environmental precautions

Prevent entry to sewers and soil. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Sweep or shovel spills into appropriate container for disposal. Avoid dust production.

6.4. Reference to other sections

See section 8 and 13 for more information.

SECTION 7: Handling and storage.

7.1. Precautions for safe handling

Precautions for safe handling: Do not breathe dust. Wash hands plentifully and other exposed areas with water after handling. Remove contaminated clothing and shoes. Wash clothing before re-using.



www.keramikos.nl

Packagings: Even those that have been emptied, will retain product residue. Always obey safety warnings and handle empty packages as if they were full. Avoid all contact with this substance.

Hygiene measures: When using do not eat, drink or smoke. Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work. Remove contaminated clothing and shoes.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in dry, cool, well-ventilated area. Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

The identified uses for this product are detailed in section 1.2

– 21-03-2013



In compliance with Regulation (EC)1907/2006,

Regulation (EC) 1272/2008 and Regulation (EC) 453/2010

Date of issue: 03/03/2011 Revision date: 21/03/2013

CHROMITE

Safety Data Sheet

SECTION 8: Exposure controls/personal protection.

8.1. Control parameters

Chemical Name	United Kingdom	France	Netherlands
Respirable Crystalline Silica (Quartz)	TWA: 0.1 mg/m ³	VME: 0.1 mg/m ³ alv	WG: 0.075 mg/m ³

ExposureLimits:

Follow workplace regulatory exposure limits for all types of airborne dust (e.g. total dust, respirable dust).

Ingredientscomments:

Dust contains respirable silica. Prolonged and/or massive inhalation of respirable silica dust may cause lung fibrosis. Commonly referred to as silicosis. Principal symptoms of silicosis are cough and breathlessness. Occupational exposure to respirable dust should be monitored and controlled. The product should be handled using methods and techniques that minimise or eliminate dust generation. The product contains less than 1% w/w RCS (respirable crystalline silica) as determined by the SWERF method. The respirable crystalline silica content can be measured using the "Size-Weighted Respirable Fraction – SWERF" method. All details about the SWERF method are available at www.crystallinesilica.eu

8.2. Exposure controls

Appropriate engineering controls: Use as far as possible in a closed system. Provide a regular control of the atmosphere. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Local exhaust and general ventilation must be adequate to meet exposure standards. Please refer to the annex (exposure scenarios).

Hand protection: Use gloves resistant to chemical products corresponding to EN 374:3. Take advice to gloves' manufacturer.

Eye protection: Wear safety glasses with side shields according EN 166.

Skin and body protection: Wear closed protective clothing.

Respiratory protection: Use respiratory protection mask according to EN 140 or EN 405 with filter type P3 according to EN 143:2000 or FFP3 according to EN 149:2001.



In compliance with Regulation (EC)1907/2006,

Regulation (EC) 1272/2008 and Regulation (EC) 453/2010

Date of issue: 03/03/2011 Revision date: 21/03/2013

Environmental exposure controls: Avoid release to the environment.

SDS Ref:– 21-03-2013

CHROMITE Safety Data Sheet

SECTION 9: Physical and chemical; properties.

Physical state	Solid Powder.	
Colour	Brown/Green. Odour	odourless.
Odour threshold	Not applicable	
pH	9 (@10% aqueous dispersion)	
Relative evaporation rate (butylacetate=1)	No data available	
Melting point	>1,000 °C	
Freezing point	No data available	
Boiling point	No data available	
Flash point	Not flammable	
Self ignition temperature	Not applicable	
Decomposition temperature	No data available	
Flammability (solid, gas)	Not flammable	
Vapour pressure	Not applicable.	
Relative vapour density at 20 °C	No data available	
Relative density	4.5 (water =1)	
Density	No data available	
Solubility	Negligible.	
Log Pow	Not applicable	
Log Kow	Not applicable	
Viscosity, kinematic	Not applicable	
Viscosity, dynamic	Not applicable	
Explosive properties	Not explosive.	
Oxidising properties	Non oxidizing material according to EC criteria.	
Explosive limits	Not applicable	



In compliance with Regulation (EC)1907/2006,

Regulation (EC) 1272/2008 and Regulation (EC) 453/2010
Date of issue: 03/03/2011 Revision date: 21/03/2013

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity.

10.1. Reactivity

No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal conditions of handling and storage.

10.3. Possibility of hazardous reactions

Not relevant.

CHROMITE
Safety Data Sheet

10.4. Conditions to avoid

Not relevant

10.5. Incompatible materials

No specific, or groups of materials, are likely to react to produce a hazardous situation.

10.6. Hazardous decomposition products

Not relevant

SECTION 11: Toxicological information.

11.1. Information on toxicological effects

Other health effects: This substance has no evidence of carcinogenic properties.

Acute toxicity	Skin	Reproductive toxicity	STOT – single exposure	STOT – repeated
corrosion/irritation	Serious eye	exposure	Aspiration hazard	
damage/irritation	Respiratory or	Based on available data, the classification criteria are not met.		
skin sensitisation	Germ cell	Based on available data, the classification criteria are not met.		
mutagenicity	Carcinogenicity			



In compliance with Regulation (EC)1907/2006,

Regulation (EC) 1272/2008 and Regulation (EC) 453/2010

Date of issue: 03/03/2011 Revision date: 21/03/2013

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

CHROMITE Safety Data Sheet

SECTION 12: Ecological information.

12.1. Acute fish toxicity

Not relevant

12.2. Persistence and degradability

This product is not readily biodegradable.

12.3. Bioaccumulative potential The product is not bioaccumulating.

12.4. Mobility in soil

Not relevant, due to the form of the product.

12.5. Results of PBT and vPvB assessment

This substance/mixture does not meet the PBT or vPvB criteria of REACH, annex XIII.

12.6. Other adverse effects

None known.

SECTION 13: Disposal considerations.



In compliance with Regulation (EC)1907/2006,

Regulation (EC) 1272/2008 and Regulation (EC) 453/2010

Date of issue: 03/03/2011 Revision date: 21/03/2013

13.1. Waste treatment methods

Waste treatment methods: Dispose of this material and residues in accordance with local authority requirements.

Additional information: Empty packaging can have residues or dusts and are subject to proper waste disposal, as above.

Ecology - waste materials: See the european waste catalogue.



CHROMITE

Safety Data Sheet

In compliance with Regulation (EC)1907/2006,
Regulation(EC)1272/2008andRegulation(EC)453/2010
Dateofissue:03/03/2011Revisiondate:21/03/2013

SECTION 14: Transport information.

14.1. UN number

The product is not covered by international regulation on transport of dangerous goods (IMDG, IATA, ADR/RID).

14.2. UN proper shipping name

Not classified for transportation.

14.3. Transport hazard class(es)

Not classified for transportation.

14.4. Packing group

Not classified for transportation.

14.5. Environmental hazards

Other information: No environmental hazards known with this product.

14.6. Special precautions for user

Not classified for transportation.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

SECTION 15: Regulatory information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

National regulatory information:

No information available.

International legislation/requirements:



No information available.

SDS Ref:– 21-03-2013

CHROMITE Safety Data Sheet

EU Legislation:

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulations (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

15.2. Chemical Safety Assessment.

Exempted from REACH Registration in accordance with Annex V.7

SECTION 16: Other information.

Full text of R-phrases referred to under sections 2 and 3

R48/20 – Harmful: danger of serious damage to health by prolonged exposure through inhalation.

Full text of R-phrases referred to under sections 2 and 3

H372 – Causes damage to lung through prolonged or repeated exposure by inhalation.

Abbreviations and acronyms:

ADN: European Agreement concerning international carriage of Dangerous goods by Inland waterways

ADR: European Agreement concerning international carriage of Dangerous goods by Road

AF: Assessment factor

BCF: Bioconcentration factor

Bw: Body weight

CAS: Chemical Abstracts Service



CLP: Classification, labelling, packaging
CSR: Chemical Safety Report
DMEL: Derived maximum effect level
DNEL: Derivative No effect Level
EC: European Community
ELV: Emission limit values
EN: European Norm
EUH: European Hazard Statement
EWC: European Waste catalogue
IATA: International Air Transport Association
ICAO: International Civil Aviation Organization
IMDG: International Maritime Dangerous Goods
LC50: Median lethal concentration
LD50: Median lethal dose
NOAEL: No-observed-adverse-effect-level

– 21-03-2013

CHROMITE

Safety Data Sheet

In compliance with Regulation (EC)1907/2006,
Regulation (EC) 1272/2008 and Regulation (EC) 453/2010
Date of issue: 03/03/2011 Revision date: 21/03/2013

NOEC: No observed effect concentration
NOEL: No observed effect level
OEL: Operator exposure level
PBT: Persistent, bioaccumulative, Toxic
PEC: Predicted effect level
PNEC: Predicted No effect Concentration
REACH: Registration, evaluation and autorisation of chemicals
RID: Regulations concerning the international carriage of dangerous goods by rail
STEL: Short Term Exposure Limit TWA: Time
weighted average vPvB: Very persistent, very
bioaccumulative.

Training advice:

Workers must be informed of the presence of crystalline silica and trained in the proper use and handling of this product as required under applicable regulations.

Social Dialogue on Respirable Crystalline Silica

A multi-sectorial social dialogue agreement on workers Health Protection through the Good Handling and Use of Crystalline Silica Products Containing it was signed on 25th April 2006. This autonomous agreement, which receives the European Commission's financial support, is based on a Good Practices Guide. The requirements of the Agreement came into force on 25th October 2006.



The Agreement was published in the Official Journal of the European Union (2006/C 279/02). The text of the Agreement and its annexes, including the Good Practices Guide, are available from <http://www.nepsi.eu> and provide useful information and guidance for the handling of products containing respirable crystalline silica. Literature references are available on request from EUROSIL, the European Association of Industrial Silica Producers.

Health & Safety Executive (Specific for UK)

Detailed reviews of the scientific evidence on the health effects of crystalline silica have been published by HSE (Health and Safety Executive, UK) in the Hazard Assessment Documents EH75/4 (2002) and EH75/5 (2003). The HSE points out on its website that "Workers exposed to fine dust containing quartz are at risk of developing a chronic and possibly severely disabling lung disease known as "silicosis". In addition to silicosis, there is now evidence that heavy and prolonged workplace exposure to dust containing crystalline silica can lead to an increased risk of lung cancer. The evidence suggests that an increased risk of lung cancer is likely to occur only in those workers who have developed silicosis". In addition to silicosis, there is now evidence that heavy and prolonged workplace exposure to dust containing crystalline silica can lead to an increased risk of lung cancer. The evidence suggests that an increased risk of lung cancer is likely to occur only in those workers who have developed silicosis.

SDS Ref:– 21-03-2013



CHROMITE

Safety Data Sheet

In compliance with Regulation (EC)1907/2006,

Regulation (EC) 1272/2008 and Regulation (EC) 453/2010

Date of issue: 03/03/2011 Revision date: 21/03/2013

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

DISCLAIMER OF LIABILITY The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable



SDS Ref:– 21-03-2013