

# **SAFETY DATA SHEET**

Creation Date 15-Jun-2009 Revision Date 17-Jan-2018 Revision Number 4

1. Identification

Product Name Hexanes

Cat No.: H303-1; H303-4; H303-4LC; H303RS-19; H303RS-28; H303RS-50;

H303RS-115; H303RS-200; H303SK-4; H303SS-19; H303SS-28;

H303SS-50; H303SS-115; H303SS-200

**CAS-No** 92112-69-1

Synonyms Hex

**Recommended Use** Laboratory chemicals.

Uses advised against Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

**Company** 

Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

**Emergency Telephone Number** 

Chemtrec US: (800) 424-9300 Chemtrec EU: 001 (202) 483-7616

## 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids

Skin Corrosion/irritation

Serious Eye Damage/Eye Irritation

Reproductive Toxicity

Specific target organ toxicity (single exposure)

Target Organs - Respiratory system, Central nervous system (CNS).

Specific target organ toxicity - (repeated exposure)

Category 1

Target Organs - Respiratory system, Heart.

Aspiration Toxicity Category 1

### Label Elements

## Signal Word

Danger

### **Hazard Statements**

Highly flammable liquid and vapor May be fatal if swallowed and enters airways Causes skin irritation Causes serious eye irritation

\_\_\_\_\_

May cause respiratory irritation
May cause drowsiness or dizziness
Suspected of damaging fertility
Causes damage to organs through prolonged or repeated exposure



### **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Wear eye/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

#### Response

IF exposed or concerned: Get medical attention/advice

### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

If skin irritation occurs: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

### Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

#### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

### **Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

### **Disposal**

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Toxic to aquatic life with long lasting effects

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %

Revision Date 17-Jan-2018 **Hexanes** 

Hexane, branched and linear	92112-69-1	100

### 4. First-aid measures

**General Advice** If symptoms persist, call a physician.

**Eve Contact** Rinse immediately with plenty of water, also under the evelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Inhalation Move to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur. Risk of serious damage to the lungs.

Ingestion Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting. Call a

physician or Poison Control Center immediately. If vomiting occurs naturally, have victim

lean forward.

Most important symptoms and

effects

Notes to Physician

Breathing difficulties. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

Treat symptomatically

# 5. Fire-fighting measures

Suitable Extinguishing Media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Cool closed

containers exposed to fire with water spray.

**Unsuitable Extinguishing Media** Do not use a solid water stream as it may scatter and spread fire

Flash Point -22 °C / -7.6 °F

Method -No information available

223 °C / 433.4 °F **Autoignition Temperature** 

**Explosion Limits** 

Upper No data available Lower No data available Sensitivity to Mechanical Impact No information available No information available Sensitivity to Static Discharge

### **Specific Hazards Arising from the Chemical**

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### **Hazardous Combustion Products**

Carbon monoxide (CO) Carbon dioxide (CO<sub>2</sub>)

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health **Flammability** Instability Physical hazards 3 1 N/A

### 6. Accidental release measures

**Personal Precautions** Use personal protective equipment. Ensure adequate ventilation. Remove all sources of

ignition. Take precautionary measures against static discharges.

**Environmental Precautions** Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

lln

Remove all sources of ignition. Take precautionary measures against static discharges.

Use spark-proof tools and explosion-proof equipment.

7. Handling and storage

Handling

Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Use explosion-proof equipment. Take precautionary measures against static discharges. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Flammables area.

Keep away from heat and sources of ignition.

## 8. Exposure controls / personal protection

### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Hexane, branched and linear		(Vacated) TWA: 500 ppm		TWA: 500 ppm
		(Vacated) TWA: 1800 mg/m <sup>3</sup>		TWA: 1760 mg/m <sup>3</sup>
		(Vacated) STEL: 1000 ppm		STEL: 1000 ppm
		(Vacated) STEL: 3600		STEL: 3500 mg/m <sup>3</sup>
		mg/m³		

The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

**Engineering Measures** 

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers

are close to the workstation location. Use explosion-proof

electrical/ventilating/lighting/equipment. Ensure adequate ventilation, especially in confined

areas.

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Long sleeved clothing.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

### 9. Physical and chemical properties

Physical State Liquid
Appearance Colorless

OdorNo information availableOdor ThresholdNo information availablepHNo information availableMelting Point/Range-95 °C / -139 °F

Boiling Point/Range 69 °C / 156.2 °F @ 760 mmHg

Flash Point

-22 °C / -7.6 °F

Evaporation Rate

No information available

Flammability (solid,gas)

Not applicable

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor Pressure160 mbar @ 20°C

Vapor Pressure160 mbar @ 20°CVapor DensityNo information availableSpecific Gravity0.659

Solubility immiscible
Partition coefficient; n-octanol/water No data available
Autoignition Temperature 223 °C / 433.4 °F
Decomposition Temperature No information available

Viscosity 0.31 mPa s @ 20 °C

Molecular FormulaC6 H14Molecular Weight86.18

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Incompatible products. Excess heat. Exposure to light. Keep away from open flames, hot

surfaces and sources of ignition.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions**None under normal processing.

# 11. Toxicological information

### **Acute Toxicity**

#### Product Information

**Component Information** 

Component			LC50 Inhalation		
Hexane, branched and linear	LD50 = 15000 mg/kg ( Rat )	LD50 = 3350 mg/kg (Rabbit)	LC50 = 259354 mg/m³ (Rat) 4h		

Toxicologically Synergistic

**Products** 

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

 Irritation
 Irritating to eyes and skin

 Sensitization
 No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Hexane, branched and	92112-69-1	Not listed				
linear						

Mutagenic Effects No information available

**Reproductive Effects** Possible risk of impaired fertility.

Developmental EffectsNo information available.TeratogenicityNo information available.

STOT - single exposure Respiratory system Central nervous system (CNS)

Revision Date 17-Jan-2018 **Hexanes** 

STOT - repeated exposure Respiratory system Heart

Aspiration hazard No information available

delayed

Symptoms / effects,both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting

No information available **Endocrine Disruptor Information** 

The toxicological properties have not been fully investigated. Other Adverse Effects

# 12. Ecological information

#### **Ecotoxicity**

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Based on available literature. Data from closely analogous substances.

Persistence is unlikely based on information available. Persistence and Degradability

**Bioaccumulation/Accumulation** No information available.

Mobility Will likely be mobile in the environment due to its volatility.

Component	log Pow
Hexane, branched and linear	4.11

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT

**UN-No** UN1208 **Proper Shipping Name** Hexanes **Hazard Class** 3 Ш **Packing Group** 

**TDG** 

UN1208 **UN-No Proper Shipping Name HEXANES** 3

**Hazard Class Packing Group** Ш

IATA

**UN-No** UN1208

**Proper Shipping Name** Hexanes (Mixture)

**Hazard Class** 3 **Packing Group** Ш

IMDG/IMO

**UN-No** UN1208

**Proper Shipping Name** Hexanes (Mixture)

**Hazard Class Packing Group** Ш

### 15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

### International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL

Revision Date 17-Jan-2018 **Hexanes** 

Hexane, branched and linear	-	-	-	295-570-2	438-390	-	Х	Х	-	-
					-3					

#### Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

### U.S. Federal Regulations

**TSCA 12(b)** Not applicable

**SARA 313** 

See section 2 for more information SARA 311/312 Hazard Categories

**CWA (Clean Water Act)** Not applicable

Clean Air Act

**OSHA** Occupational Safety and Health Administration

Not applicable

**CERCLA** This material, as supplied, contains one or more substances regulated as a hazardous

substance under the Comprehensive Environmental Response Compensation and Liability

Act (CERCLA) (40 CFR 302)

**California Proposition 65** This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know

Regulations

#### U.S. Department of Transportation

Reportable Quantity (RQ): Υ **DOT Marine Pollutant** Ν **DOT Severe Marine Pollutant** N

#### U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

### Other International Regulations

Serious risk, Grade 3 Mexico - Grade

#### 16. Other information Regulatory Affairs Prepared By

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

15-Jun-2009 **Creation Date** 17-Jan-2018 **Revision Date** 

Print Date 17-Jan-2018

**Revision Summary**This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**